

KANOPOLIS R E S E R V O I R A C C O U N T I N G

Calendar Year 2005

| Date | Multipurpose (1982) | | INFLOW Monthly Inflow (AF) | OUTFLOW Monthly Outflow (AF) | PRECIP Monthly Precip. (inches) | EVAP Reservoir Evap. (AF) | Water Marketing | | | | | Water Quality | | | | |
|--------------|---------------------------|------------------------|-------------------------------------|---------------------------------------|--|------------------------------------|-------------------------|-------------|------------------------|-------------|--------|-------------------------|-------------|------------------------|-------------|--------|
| | 1463.0 | 49,474 | | | | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage | |
| | EOM Elevation (MSL) | EOM Storage (AF) | | | | | | | | (%) | (AF) | | | | (%) | (AF) |
| Jan-05 | | | | | | | | | | | | | | | | |
| Feb-05 | | | | | | | | | | | | | | | | |
| Mar-05 | | | | | | | | | | | | | | | | |
| Apr-05 | | | | | | | | | | | | | | | | |
| May-05 | | | | | | | | | | | | | | | | |
| Jun-05 | | | | | | | | | | | | | | | | |
| Jul-05 | 1,463.27 | 50,430 | | | | | | | | | 23,055 | | | | | 26,419 |
| Aug-05 | 1,462.37 | 47,498 | 2,164 | 3,033 | 4.06 | 2,065 | 649 | 60 | 695 | 100% | 22,949 | 732 | 1806 | 796 | 93% | 24,549 |
| Sep-05 | 1,461.08 | 43,460 | 825 | 2,975 | 0.97 | 1,890 | 65 | 53 | 913 | 96% | 22,048 | 75 | 2235 | 977 | 81% | 21,412 |
| Oct-05 | 1,460.44 | 41,608 | 774 | 1,543 | 1.52 | 1,087 | 61 | 51 | 551 | 93% | 21,506 | 69 | 844 | 536 | 76% | 20,102 |
| Nov-05 | 1,460.09 | 40,607 | 585 | 899 | 0.61 | 684 | 28 | 40 | 354 | 92% | 21,140 | 32 | 337 | 331 | 74% | 19,467 |
| Dec-05 | 1,460.07 | 40,550 | 863 | 619 | 0.46 | 321 | 154 | 44 | 167 | 91% | 21,083 | 176 | 22 | 154 | 74% | 19,467 |
| TOTAL | | | 5,211 | 9,069 | 7.62 | 6048 | 956 | 247 | 2681 | | | 1085 | 5244 | 2793 | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality needs.

KANOPOLIS R E S E R V O I R A C C O U N T I N G

Calendar Year 2006

| Date | Multipurpose (1982) | | INFLOW Monthly Inflow (AF) | OUTFLOW Monthly Outflow (AF) | PRECIP Monthly Precip. (inches) | EVAP Reservoir Evap. (AF) | Water Marketing | | | | | Water Quality | | | | |
|--------------|---------------------------|------------------------|-------------------------------------|---------------------------------------|--|------------------------------------|-------------------------|-------------|------------------------|--------------------|---------------------|-------------------------|--------------|------------------------|--------------------|---------------------|
| | 1463.0 | 49,474 | | | | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) |
| | EOM Elevation (MSL) | EOM Storage (AF) | | | | | | | | | | | | | | |
| Jan-06 | 1,460.14 | 40,750 | 1,085 | 615 | 0.06 | 280 | 221 | 38 | 145 | 92% | 21,121 | 253 | 0 | 133 | 74% | 19,629 |
| Feb-06 | 1,460.02 | 40,407 | 448 | 555 | 0.00 | 230 | 7 | 40 | 119 | 91% | 20,968 | 9 | 88 | 111 | 74% | 19,439 |
| Mar-06 | 1,460.17 | 40,836 | 1,498 | 861 | 0.66 | 184 | 298 | 43 | 96 | 92% | 21,128 | 341 | 0 | 89 | 75% | 19,708 |
| Apr-06 | 1,460.00 | 40,350 | 1,626 | 1,160 | 2.53 | 954 | 287 | 50 | 494 | 91% | 20,871 | 329 | 98 | 460 | 74% | 19,479 |
| May-06 | 1,459.36 | 38,520 | 992 | 1,819 | 1.61 | 1,006 | 162 | 58 | 520 | 89% | 20,454 | 185 | 1113 | 485 | 68% | 18,066 |
| Jun-06 | 1,458.56 | 36,368 | 1,761 | 2,372 | 3.92 | 1,535 | 564 | 67 | 815 | 87% | 20,136 | 647 | 1760 | 720 | 61% | 16,232 |
| Jul-06 | 1,457.19 | 32,875 | 1,450 | 3,074 | 2.27 | 1,791 | 260 | 94 | 992 | 84% | 19,310 | 297 | 2165 | 799 | 51% | 13,565 |
| Aug-06 | 1,456.84 | 32,020 | 3,787 | 3,074 | 5.95 | 1,563 | 1377 | 76 | 918 | 85% | 19,694 | 1579 | 2172 | 645 | 47% | 12,326 |
| Sep-06 | 1,456.84 | 32,020 | 4,046 | 2,971 | 2.56 | 1,083 | 1336 | 64 | 666 | 88% | 20,300 | 1532 | 1721 | 417 | 44% | 11,720 |
| Oct-06 | 1,456.18 | 30,496 | 1,031 | 1,591 | 0.76 | 966 | 78 | 70 | 612 | 85% | 19,696 | 90 | 656 | 354 | 41% | 10,800 |
| Nov-06 | 1,455.73 | 29,456 | 450 | 932 | 0.08 | 555 | 0 | 59 | 359 | 84% | 19,278 | 0 | 426 | 197 | 39% | 10,178 |
| Dec-06 | 1,455.93 | 29,918 | 1,353 | 627 | 2.04 | 264 | 435 | 62 | 173 | 84% | 19,479 | 498 | 145 | 91 | 40% | 10,439 |
| TOTAL | | | 19,528 | 19,653 | 22.44 | 10411 | 5026 | 721 | 5909 | | | 5759 | 10345 | 4501 | | |

AF - Acre Feet

EOM - End of Month

Evap. - Evaporation

Precip. - Precipitation

MSL - Mean Sea Level

Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.

Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality needs.

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2007

| Date | Conservation Pool 1982 Survey Results | | INFLOW | OUTFLOW | PRECIP | EVAP | Water Marketing | | | | | Water Quality | | | | | | | | |
|--------------|--|------------------------|----------------|----------------|--------------|--------------|---------------------------|----------------------------|--------------------------------|----------------------------|-------------------------|---------------|------------------------|--------------------|---------------------|-------------------------|-------------|------------------------|--------------------|---------------------|
| | EOM Elevation (MSL) | EOM Storage (AF) | | | | | Monthly Inflow (AF) | Monthly Outflow (AF) | Monthly Precip. (inches) | Reservoir Evap. (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) |
| | 1455.93 | 29,918 | | | | | | | | | | | | | | | | | | |
| Jan | 1,456.07 | 30,242 | 1,121 | 615 | 0.76 | 171 | 236 | 61 | 111 | 85% | 19,565 | 270 | 0 | 60 | 40% | 10,677 | | | | |
| Feb | 1,457.82 | 34,481 | 4,949 | 555 | 0.83 | 173 | 2049 | 60 | 112 | 93% | 21,477 | 2348 | 0 | 61 | 49% | 13,004 | | | | |
| Mar | 1,459.84 | 39,892 | 6,516 | 902 | 3.33 | 198 | 1764 | 63 | 124 | 100% | 23,055 | 2997 | 0 | 75 | 64% | 16,837 | | | | |
| Apr | 1,465.62 | 59,097 | 22,681 | 2,527 | 4.28 | 958 | 150 | 58 | 92 | 100% | 23,055 | 9649 | 0 | 67 | 100% | 26,419 | | | | |
| May | 1,478.12 | 125,541 | 159,047 | 90,930 | 11.57 | 1,684 | 63 | 63 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Jun | 1,467.88 | 68,664 | 48,546 | 103,328 | 3.24 | 2,077 | 67 | 67 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Jul | 1,468.51 | 71,503 | 18,322 | 13,333 | 6.04 | 2,152 | 80 | 80 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Aug | 1,467.40 | 66,502 | 72,398 | 74,010 | 1.52 | 3,386 | 81 | 81 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Sep | 1,467.35 | 66,277 | 14,053 | 11,976 | 4.85 | 2,303 | 71 | 71 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Oct | 1,464.89 | 56,189 | 5,921 | 14,228 | 3.65 | 1,781 | 65 | 65 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Nov | 1,464.63 | 55,265 | 2,575 | 2,612 | 0.00 | 895 | 61 | 61 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Dec | 1,465.31 | 57,839 | 6,387 | 3,388 | 3.42 | 430 | 59 | 59 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| TOTAL | | | 362,514 | 318,405 | 43.49 | 16207 | 4746 | 790 | 438 | | | 15264 | 0 | 262 | | | | | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality needs.

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2008

| Date | Conservation Pool 1982 Survey Results | | INFLOW | OUTFLOW | PRECIP | EVAP | Water Marketing | | | | | Water Quality | | | | | | | | |
|--------------|--|------------------------|----------------|----------------|--------------|--------------|---------------------------|----------------------------|--------------------------------|----------------------------|-------------------------|---------------|------------------------|--------------------|---------------------|-------------------------|-------------|------------------------|--------------------|---------------------|
| | 1463.00 49,474 | | | | | | Monthly Inflow (AF) | Monthly Outflow (AF) | Monthly Precip. (inches) | Reservoir Evap. (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) |
| | EOM Elevation (MSL) | EOM Storage (AF) | | | | | | | | | | | | | | | | | | |
| Jan | 1,465.37 | 58,082 | 4,780 | 4,249 | 0.43 | 292 | 61 | 61 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Feb | 1,465.80 | 59,828 | 6,427 | 4,370 | 0.50 | 298 | 57 | 57 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Mar | 1,465.67 | 59,300 | 5,201 | 5,437 | 1.22 | 307 | 68 | 68 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Apr | 1,467.29 | 66,007 | 15,001 | 7,331 | 3.67 | 964 | 65 | 65 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| May | 1,469.89 | 78,111 | 44,966 | 31,458 | 3.34 | 1,404 | 66 | 66 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Jun | 1,468.82 | 72,899 | 52,831 | 55,802 | 4.86 | 2,247 | 59 | 59 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Jul | 1,467.98 | 69,115 | 14,906 | 16,183 | 3.38 | 2,509 | 66 | 66 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Aug | 1,468.16 | 69,926 | 45,254 | 42,179 | 5.24 | 2,259 | 63 | 63 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Sep | 1,467.29 | 66,006 | 20,430 | 22,566 | 3.44 | 1,773 | 55 | 55 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Oct | 1,467.77 | 68,168 | 57,085 | 53,045 | 4.35 | 1,878 | 63 | 63 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Nov | 1,466.98 | 64,618 | 18,169 | 20,660 | 0.73 | 1,061 | 66 | 66 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Dec | 1,463.57 | 51,496 | 10,037 | 22,743 | 0.32 | 419 | 66 | 66 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| TOTAL | | | 295,085 | 286,023 | 31.48 | 15412 | 757 | 757 | 0 | | | 0 | 0 | 0 | | | | | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality needs.

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2009

| Date | Conservation Pool 1982 Survey Results 1463.00 49,474 | | INFLOW Monthly Inflow (AF) | OUTFLOW Monthly Outflow (AF) | PRECIP Monthly Precip. (inches) | EVAP Reservoir Evap. (AF) | Water Marketing | | | | | Water Quality | | | | |
|--------------|---|----------------------------------|---|---|--|--|-------------------------|-------------|------------------------|--|-------------------------|---------------|------------------------|--|------|--------|
| | EOM Elevation (MSL) 1463.57 | EOM Storage (AF) 51,496 | | | | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) (AF) 23,055 | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) (AF) 26,419 | | |
| | | | | | | | | | | | | | | | | |
| Jan | 1,463.02 | 49,541 | 9,233 | 10,927 | 0.04 | 256 | 71 | 67 | 4 | 100% | 23,055 | 12 | 8 | 4 | 100% | 26,419 |
| Feb | 1,463.18 | 50,109 | 7,210 | 6,381 | 0.03 | 264 | 56 | 51 | 5 | 100% | 23,055 | 72 | 67 | 5 | 100% | 26,419 |
| Mar | 1,464.69 | 55,477 | 7,101 | 1,494 | 0.22 | 242 | 59 | 59 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Apr | 1,467.20 | 65,601 | 15,630 | 4,471 | 4.01 | 1,039 | 55 | 55 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| May | 1,466.73 | 63,603 | 8,975 | 9,525 | 0.88 | 1,444 | 63 | 63 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Jun | 1,466.34 | 62,020 | 7,587 | 7,327 | 6.10 | 1,845 | 67 | 67 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Jul | 1,465.38 | 58,122 | 3,660 | 5,544 | 4.24 | 2,017 | 84 | 84 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Aug | 1,465.54 | 58,772 | 6,605 | 3,783 | 2.88 | 2,174 | 76 | 76 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Sep | 1,465.95 | 60,437 | 9,471 | 6,355 | 4.88 | 1,450 | 67 | 67 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Oct | 1,462.70 | 48,531 | 4,364 | 14,775 | 2.88 | 1,494 | 207 | 54 | 153 | 100% | 23,055 | 891 | 1659 | 175 | 96% | 25,476 |
| Nov | 1,462.05 | 46,496 | 4,401 | 5,669 | 0.33 | 766 | 421 | 57 | 364 | 100% | 23,055 | 1711 | 3344 | 402 | 89% | 23,441 |
| Dec | 1,462.20 | 46,966 | 3,189 | 2,394 | 0.33 | 325 | 225 | 64 | 161 | 100% | 23,055 | 1067 | 433 | 164 | 91% | 23,911 |
| TOTAL | | | 87,427 | 78,644 | 26.82 | 13315 | 1450 | 764 | 686 | | | 3753 | 5511 | 750 | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality need

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2010

| Date | Conservation Pool 1982 Survey Results 1463.00 49,474 | | INFLOW Monthly Inflow (AF) | OUTFLOW Monthly Outflow (AF) | PRECIP Monthly Precip. (inches) | EVAP Reservoir Evap. (AF) | Water Marketing | | | | | Water Quality | | | | |
|--------------|---|----------------------------------|---|---|--|--|-------------------------|-------------|------------------------|--|-------------------------|---------------|------------------------|--|------|--------|
| | EOM Elevation (MSL) 1462.20 | EOM Storage (AF) 46,966 | | | | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) (AF) 23,055 | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) (AF) 23,911 | | |
| | | | | | | | | | | | | | | | | |
| Jan | 1,462.31 | 47,310 | 4,864 | 4,286 | 0.07 | 232 | 196 | 82 | 114 | 100% | 23,055 | 2385 | 1923 | 118 | 92% | 24,255 |
| Feb | 1,463.75 | 52,136 | 5,566 | 478 | 0.49 | 260 | 99 | 56 | 43 | 100% | 23,055 | 2210 | 0 | 46 | 100% | 26,419 |
| Mar | 1,465.15 | 57,189 | 7,515 | 2,208 | 1.91 | 254 | 57 | 57 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Apr | 1,464.53 | 54,909 | 7,769 | 8,842 | 1.36 | 1,204 | 64 | 64 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| May | 1,468.15 | 69,880 | 20,972 | 4,780 | 3.87 | 1,222 | 69 | 69 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Jun | 1,467.62 | 67,493 | 13,159 | 13,099 | 4.12 | 2,450 | 79 | 79 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Jul | 1,467.39 | 66,456 | 11,728 | 10,273 | 4.62 | 2,491 | 83 | 83 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Aug | 1,466.56 | 62,913 | 6,746 | 7,420 | 2.51 | 2,866 | 83 | 83 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Sep | 1,467.66 | 67,673 | 17,502 | 10,169 | 1.59 | 2,571 | 69 | 69 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Oct | 1,465.75 | 59,625 | 2,101 | 8,057 | 0.06 | 2,093 | 66 | 66 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Nov | 1,465.28 | 57,716 | 3,372 | 4,352 | 1.15 | 928 | 55 | 61 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Dec | 1,463.48 | 51,176 | 2,830 | 8,946 | 0.00 | 426 | 68 | 68 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| TOTAL | | | 104,124 | 82,910 | 21.75 | 16997 | 988 | 837 | 157 | | | 4595 | 1923 | 164 | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality need

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2011

| Date | Conservation Pool 1982 Survey Results 1463.00 49,474 | | INFLOW Monthly Inflow (AF) | OUTFLOW Monthly Outflow (AF) | PRECIP Monthly Precip. (inches) | EVAP Reservoir Evap. (AF) | Water Marketing | | | | | Water Quality | | | | |
|--------------|---|----------------------------------|---|---|--|--|-------------------------|-------------|------------------------|--|-------------------------|---------------|------------------------|--|------|--------|
| | EOM Elevation (MSL) 1463.48 | EOM Storage (AF) 51,176 | | | | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) (AF) 23,055 | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) (AF) 26,419 | | |
| | | | | | | | | | | | | | | | | |
| Jan | 1,463.59 | 51,567 | 1,656 | 1,000 | 0.42 | 266 | 70 | 70 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Feb | 1,464.04 | 53,167 | 3,164 | 1,301 | 0.84 | 264 | 64 | 64 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Mar | 1,464.41 | 54,482 | 3,620 | 2,059 | 1.29 | 246 | 66 | 66 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Apr | 1,464.25 | 53,913 | 2,251 | 1,821 | 0.22 | 998 | 71 | 71 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| May | 1,468.03 | 69,340 | 25,111 | 8,343 | 5.19 | 1,339 | 72 | 72 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Jun | 1,465.98 | 60,559 | 7,597 | 14,355 | 0.97 | 2,025 | 77 | 77 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Jul | 1,464.47 | 54,696 | 774 | 3,959 | 1.04 | 2,682 | 21 | 91 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Aug | 1,464.42 | 54,518 | 6,030 | 3,787 | 3.64 | 2,416 | 73 | 84 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Sep | 1,462.68 | 48,468 | 555 | 4,518 | 1.00 | 2,083 | 59 | 78 | 341 | 99% | 22,831 | 64 | 456 | 390 | 97% | 25,637 |
| Oct | 1,462.07 | 46,559 | 982 | 1,517 | 1.19 | 1,373 | 105 | 81 | 647 | 96% | 22,245 | 120 | 717 | 726 | 92% | 24,314 |
| Nov | 1,462.08 | 46,590 | 1,696 | 893 | 2.63 | 774 | 453 | 68 | 370 | 97% | 22,293 | 519 | 132 | 404 | 92% | 24,297 |
| Dec | 1,462.46 | 47,779 | 2,222 | 643 | 0.43 | 389 | 741 | 63 | 186 | 99% | 22,812 | 850 | 0 | 203 | 95% | 24,967 |
| TOTAL | | | 55,657 | 44,194 | 18.86 | 14852 | 1871 | 885 | 1543 | | | 1553 | 1305 | 1723 | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality need

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2012

| Date | Conservation Pool 2007 Survey Results | | INFLOW | OUTFLOW | PRECIP | EVAP | Water Marketing | | | | | Water Quality | | | | | | | | |
|--------------|--|------------------------|---------------|---------------|--------------|--------------|---------------------------|----------------------------|--------------------------------|----------------------------|-------------------------|---------------|------------------------|--------------------|---------------------|-------------------------|-------------|------------------------|--------------------|---------------------|
| | 1463.00 48,378 | | | | | | Monthly Inflow (AF) | Monthly Outflow (AF) | Monthly Precip. (inches) | Reservoir Evap. (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) |
| | EOM Elevation (MSL) | EOM Storage (AF) | | | | | | | | | | | | | | | | | | |
| Jan | 1,462.70 | 48,531 | 1,666 | 615 | 0.23 | 301 | 452 | 65 | 144 | 100% | 23,055 | 561 | 0 | 158 | 96% | 25,476 | | | | |
| Feb | 1,463.18 | 50,110 | 2,465 | 613 | 2.01 | 278 | 114 | 62 | 52 | 100% | 23,055 | 994 | 0 | 57 | 100% | 26,419 | | | | |
| Mar | 1,463.60 | 50,178 | 2,658 | 2,243 | 1.60 | 351 | 70 | 70 | 0 | 100% | 22,544 | 0 | 585 | 0 | 100% | 25,834 | | | | |
| Apr | 1,464.22 | 52,049 | 7,418 | 4,562 | 1.02 | 988 | 161 | 68 | 93 | 100% | 22,544 | 788 | 682 | 106 | 100% | 25,834 | | | | |
| May | 1,463.59 | 50,148 | 1,388 | 1,861 | 0.55 | 1,432 | 57 | 82 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Jun | 1,462.85 | 47,935 | 2,866 | 2,902 | 3.67 | 2,176 | 63 | 86 | 138 | 99% | 22,399 | 0 | 140 | 158 | 99% | 25,536 | | | | |
| Jul | 1,461.03 | 42,615 | 426 | 3,308 | 0.29 | 2,440 | 5 | 338 | 1140 | 94% | 21,084 | 5 | 2710 | 1300 | 83% | 21,531 | | | | |
| Aug | 1,459.43 | 38,133 | 1,022 | 3,160 | 3.08 | 2,346 | 329 | 333 | 1161 | 89% | 20,075 | 376 | 2664 | 1186 | 70% | 18,058 | | | | |
| Sep | 1,458.34 | 35,205 | 623 | 1,942 | 2.49 | 1,611 | 134 | 78 | 848 | 86% | 19,320 | 154 | 1564 | 763 | 61% | 15,885 | | | | |
| Oct | 1,457.52 | 33,088 | 260 | 1,291 | 0.96 | 1,087 | 41 | 76 | 597 | 83% | 18,725 | 48 | 1079 | 490 | 56% | 14,363 | | | | |
| Nov | 1,457.10 | 32,023 | 359 | 740 | 0.00 | 684 | 20 | 70 | 387 | 81% | 18,320 | 22 | 385 | 297 | 53% | 13,703 | | | | |
| Dec | 1,456.85 | 31,407 | 307 | 615 | 0.00 | 307 | 0 | 71 | 176 | 80% | 18,106 | 0 | 270 | 132 | 51% | 13,301 | | | | |
| TOTAL | | | 21,459 | 23,852 | 15.90 | 14002 | 1445 | 1399 | 4735 | | | 2948 | 10080 | 4646 | | | | | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality needs

KANOPOLIS R E S E R V O I R A C C O U N T I N G

Calendar Year 2005

| Date | Multipurpose (1982) | | INFLOW Monthly Inflow (AF) | OUTFLOW Monthly Outflow (AF) | PRECIP Monthly Precip. (inches) | EVAP Reservoir Evap. (AF) | Water Marketing | | | | | Water Quality | | | | |
|--------------|---------------------------|------------------------|-------------------------------------|---------------------------------------|--|------------------------------------|-------------------------|-------------|------------------------|-------------|--------|-------------------------|-------------|------------------------|-------------|--------|
| | 1463.0 | 49,474 | | | | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage | |
| | EOM Elevation (MSL) | EOM Storage (AF) | | | | | | | | (%) | (AF) | | | | (%) | (AF) |
| Jan-05 | | | | | | | | | | | | | | | | |
| Feb-05 | | | | | | | | | | | | | | | | |
| Mar-05 | | | | | | | | | | | | | | | | |
| Apr-05 | | | | | | | | | | | | | | | | |
| May-05 | | | | | | | | | | | | | | | | |
| Jun-05 | | | | | | | | | | | | | | | | |
| Jul-05 | 1,463.27 | 50,430 | | | | | | | | | 23,055 | | | | | 26,419 |
| Aug-05 | 1,462.37 | 47,498 | 2,164 | 3,033 | 4.06 | 2,065 | 649 | 60 | 695 | 100% | 22,949 | 732 | 1806 | 796 | 93% | 24,549 |
| Sep-05 | 1,461.08 | 43,460 | 825 | 2,975 | 0.97 | 1,890 | 65 | 53 | 913 | 96% | 22,048 | 75 | 2235 | 977 | 81% | 21,412 |
| Oct-05 | 1,460.44 | 41,608 | 774 | 1,543 | 1.52 | 1,087 | 61 | 51 | 551 | 93% | 21,506 | 69 | 844 | 536 | 76% | 20,102 |
| Nov-05 | 1,460.09 | 40,607 | 585 | 899 | 0.61 | 684 | 28 | 40 | 354 | 92% | 21,140 | 32 | 337 | 331 | 74% | 19,467 |
| Dec-05 | 1,460.07 | 40,550 | 863 | 619 | 0.46 | 321 | 154 | 44 | 167 | 91% | 21,083 | 176 | 22 | 154 | 74% | 19,467 |
| TOTAL | | | 5,211 | 9,069 | 7.62 | 6048 | 956 | 247 | 2681 | | | 1085 | 5244 | 2793 | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality needs.

KANOPOLIS R E S E R V O I R A C C O U N T I N G

Calendar Year 2006

| Date | Multipurpose (1982) | | INFLOW Monthly Inflow (AF) | OUTFLOW Monthly Outflow (AF) | PRECIP Monthly Precip. (inches) | EVAP Reservoir Evap. (AF) | Water Marketing | | | | | Water Quality | | | | |
|--------------|---------------------------|------------------------|-------------------------------------|---------------------------------------|--|------------------------------------|-------------------------|-------------|------------------------|--------------------|---------------------|-------------------------|--------------|------------------------|--------------------|---------------------|
| | 1463.0 | 49,474 | | | | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) |
| | EOM Elevation (MSL) | EOM Storage (AF) | | | | | | | | | | | | | | |
| Jan-06 | 1,460.14 | 40,750 | 1,085 | 615 | 0.06 | 280 | 221 | 38 | 145 | 92% | 21,121 | 253 | 0 | 133 | 74% | 19,629 |
| Feb-06 | 1,460.02 | 40,407 | 448 | 555 | 0.00 | 230 | 7 | 40 | 119 | 91% | 20,968 | 9 | 88 | 111 | 74% | 19,439 |
| Mar-06 | 1,460.17 | 40,836 | 1,498 | 861 | 0.66 | 184 | 298 | 43 | 96 | 92% | 21,128 | 341 | 0 | 89 | 75% | 19,708 |
| Apr-06 | 1,460.00 | 40,350 | 1,626 | 1,160 | 2.53 | 954 | 287 | 50 | 494 | 91% | 20,871 | 329 | 98 | 460 | 74% | 19,479 |
| May-06 | 1,459.36 | 38,520 | 992 | 1,819 | 1.61 | 1,006 | 162 | 58 | 520 | 89% | 20,454 | 185 | 1113 | 485 | 68% | 18,066 |
| Jun-06 | 1,458.56 | 36,368 | 1,761 | 2,372 | 3.92 | 1,535 | 564 | 67 | 815 | 87% | 20,136 | 647 | 1760 | 720 | 61% | 16,232 |
| Jul-06 | 1,457.19 | 32,875 | 1,450 | 3,074 | 2.27 | 1,791 | 260 | 94 | 992 | 84% | 19,310 | 297 | 2165 | 799 | 51% | 13,565 |
| Aug-06 | 1,456.84 | 32,020 | 3,787 | 3,074 | 5.95 | 1,563 | 1377 | 76 | 918 | 85% | 19,694 | 1579 | 2172 | 645 | 47% | 12,326 |
| Sep-06 | 1,456.84 | 32,020 | 4,046 | 2,971 | 2.56 | 1,083 | 1336 | 64 | 666 | 88% | 20,300 | 1532 | 1721 | 417 | 44% | 11,720 |
| Oct-06 | 1,456.18 | 30,496 | 1,031 | 1,591 | 0.76 | 966 | 78 | 70 | 612 | 85% | 19,696 | 90 | 656 | 354 | 41% | 10,800 |
| Nov-06 | 1,455.73 | 29,456 | 450 | 932 | 0.08 | 555 | 0 | 59 | 359 | 84% | 19,278 | 0 | 426 | 197 | 39% | 10,178 |
| Dec-06 | 1,455.93 | 29,918 | 1,353 | 627 | 2.04 | 264 | 435 | 62 | 173 | 84% | 19,479 | 498 | 145 | 91 | 40% | 10,439 |
| TOTAL | | | 19,528 | 19,653 | 22.44 | 10411 | 5026 | 721 | 5909 | | | 5759 | 10345 | 4501 | | |

AF - Acre Feet

EOM - End of Month

Evap. - Evaporation

Precip. - Precipitation

MSL - Mean Sea Level

Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.

Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality needs.

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2007

| Date | Conservation Pool 1982 Survey Results | | INFLOW | OUTFLOW | PRECIP | EVAP | Water Marketing | | | | | Water Quality | | | | | | | | |
|--------------|--|------------------------|----------------|----------------|--------------|--------------|---------------------------|----------------------------|--------------------------------|----------------------------|-------------------------|---------------|------------------------|--------------------|---------------------|-------------------------|-------------|------------------------|--------------------|---------------------|
| | EOM Elevation (MSL) | EOM Storage (AF) | | | | | Monthly Inflow (AF) | Monthly Outflow (AF) | Monthly Precip. (inches) | Reservoir Evap. (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) |
| | 1455.93 | 29,918 | | | | | | | | | | | | | | | | | | |
| Jan | 1,456.07 | 30,242 | 1,121 | 615 | 0.76 | 171 | 236 | 61 | 111 | 85% | 19,565 | 270 | 0 | 60 | 40% | 10,677 | | | | |
| Feb | 1,457.82 | 34,481 | 4,949 | 555 | 0.83 | 173 | 2049 | 60 | 112 | 93% | 21,477 | 2348 | 0 | 61 | 49% | 13,004 | | | | |
| Mar | 1,459.84 | 39,892 | 6,516 | 902 | 3.33 | 198 | 1764 | 63 | 124 | 100% | 23,055 | 2997 | 0 | 75 | 64% | 16,837 | | | | |
| Apr | 1,465.62 | 59,097 | 22,681 | 2,527 | 4.28 | 958 | 150 | 58 | 92 | 100% | 23,055 | 9649 | 0 | 67 | 100% | 26,419 | | | | |
| May | 1,478.12 | 125,541 | 159,047 | 90,930 | 11.57 | 1,684 | 63 | 63 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Jun | 1,467.88 | 68,664 | 48,546 | 103,328 | 3.24 | 2,077 | 67 | 67 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Jul | 1,468.51 | 71,503 | 18,322 | 13,333 | 6.04 | 2,152 | 80 | 80 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Aug | 1,467.40 | 66,502 | 72,398 | 74,010 | 1.52 | 3,386 | 81 | 81 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Sep | 1,467.35 | 66,277 | 14,053 | 11,976 | 4.85 | 2,303 | 71 | 71 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Oct | 1,464.89 | 56,189 | 5,921 | 14,228 | 3.65 | 1,781 | 65 | 65 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Nov | 1,464.63 | 55,265 | 2,575 | 2,612 | 0.00 | 895 | 61 | 61 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Dec | 1,465.31 | 57,839 | 6,387 | 3,388 | 3.42 | 430 | 59 | 59 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| TOTAL | | | 362,514 | 318,405 | 43.49 | 16207 | 4746 | 790 | 438 | | | 15264 | 0 | 262 | | | | | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality needs.

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2008

| Date | Conservation Pool 1982 Survey Results | | INFLOW | OUTFLOW | PRECIP | EVAP | Water Marketing | | | | | Water Quality | | | | | | | | |
|--------------|--|------------------------|----------------|----------------|--------------|--------------|---------------------------|----------------------------|--------------------------------|----------------------------|-------------------------|---------------|------------------------|--------------------|---------------------|-------------------------|-------------|------------------------|--------------------|---------------------|
| | 1463.00 49,474 | | | | | | Monthly Inflow (AF) | Monthly Outflow (AF) | Monthly Precip. (inches) | Reservoir Evap. (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) |
| | EOM Elevation (MSL) | EOM Storage (AF) | | | | | | | | | | | | | | | | | | |
| Jan | 1,465.37 | 58,082 | 4,780 | 4,249 | 0.43 | 292 | 61 | 61 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Feb | 1,465.80 | 59,828 | 6,427 | 4,370 | 0.50 | 298 | 57 | 57 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Mar | 1,465.67 | 59,300 | 5,201 | 5,437 | 1.22 | 307 | 68 | 68 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Apr | 1,467.29 | 66,007 | 15,001 | 7,331 | 3.67 | 964 | 65 | 65 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| May | 1,469.89 | 78,111 | 44,966 | 31,458 | 3.34 | 1,404 | 66 | 66 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Jun | 1,468.82 | 72,899 | 52,831 | 55,802 | 4.86 | 2,247 | 59 | 59 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Jul | 1,467.98 | 69,115 | 14,906 | 16,183 | 3.38 | 2,509 | 66 | 66 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Aug | 1,468.16 | 69,926 | 45,254 | 42,179 | 5.24 | 2,259 | 63 | 63 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Sep | 1,467.29 | 66,006 | 20,430 | 22,566 | 3.44 | 1,773 | 55 | 55 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Oct | 1,467.77 | 68,168 | 57,085 | 53,045 | 4.35 | 1,878 | 63 | 63 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Nov | 1,466.98 | 64,618 | 18,169 | 20,660 | 0.73 | 1,061 | 66 | 66 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| Dec | 1,463.57 | 51,496 | 10,037 | 22,743 | 0.32 | 419 | 66 | 66 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 | | | | |
| TOTAL | | | 295,085 | 286,023 | 31.48 | 15412 | 757 | 757 | 0 | | | 0 | 0 | 0 | | | | | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality needs.

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2009

| Date | Conservation Pool 1982 Survey Results 1463.00 49,474 | | INFLOW Monthly Inflow (AF) | OUTFLOW Monthly Outflow (AF) | PRECIP Monthly Precip. (inches) | EVAP Reservoir Evap. (AF) | Water Marketing | | | | | Water Quality | | | | |
|--------------|---|----------------------------------|---|---|--|--|-------------------------|-------------|------------------------|--|-------------------------|---------------|------------------------|--|------|--------|
| | EOM Elevation (MSL) 1463.57 | EOM Storage (AF) 51,496 | | | | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) (AF) 23,055 | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) (AF) 26,419 | | |
| | | | | | | | | | | | | | | | | |
| Jan | 1,463.02 | 49,541 | 9,233 | 10,927 | 0.04 | 256 | 71 | 67 | 4 | 100% | 23,055 | 12 | 8 | 4 | 100% | 26,419 |
| Feb | 1,463.18 | 50,109 | 7,210 | 6,381 | 0.03 | 264 | 56 | 51 | 5 | 100% | 23,055 | 72 | 67 | 5 | 100% | 26,419 |
| Mar | 1,464.69 | 55,477 | 7,101 | 1,494 | 0.22 | 242 | 59 | 59 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Apr | 1,467.20 | 65,601 | 15,630 | 4,471 | 4.01 | 1,039 | 55 | 55 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| May | 1,466.73 | 63,603 | 8,975 | 9,525 | 0.88 | 1,444 | 63 | 63 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Jun | 1,466.34 | 62,020 | 7,587 | 7,327 | 6.10 | 1,845 | 67 | 67 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Jul | 1,465.38 | 58,122 | 3,660 | 5,544 | 4.24 | 2,017 | 84 | 84 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Aug | 1,465.54 | 58,772 | 6,605 | 3,783 | 2.88 | 2,174 | 76 | 76 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Sep | 1,465.95 | 60,437 | 9,471 | 6,355 | 4.88 | 1,450 | 67 | 67 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Oct | 1,462.70 | 48,531 | 4,364 | 14,775 | 2.88 | 1,494 | 207 | 54 | 153 | 100% | 23,055 | 891 | 1659 | 175 | 96% | 25,476 |
| Nov | 1,462.05 | 46,496 | 4,401 | 5,669 | 0.33 | 766 | 421 | 57 | 364 | 100% | 23,055 | 1711 | 3344 | 402 | 89% | 23,441 |
| Dec | 1,462.20 | 46,966 | 3,189 | 2,394 | 0.33 | 325 | 225 | 64 | 161 | 100% | 23,055 | 1067 | 433 | 164 | 91% | 23,911 |
| TOTAL | | | 87,427 | 78,644 | 26.82 | 13315 | 1450 | 764 | 686 | | | 3753 | 5511 | 750 | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality need

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2010

| Date | Conservation Pool 1982 Survey Results 1463.00 49,474 | | INFLOW Monthly Inflow (AF) | OUTFLOW Monthly Outflow (AF) | PRECIP Monthly Precip. (inches) | EVAP Reservoir Evap. (AF) | Water Marketing | | | | | Water Quality | | | | |
|--------------|---|----------------------------------|---|---|--|--|-------------------------|-------------|------------------------|--|-------------------------|---------------|------------------------|--|------|--------|
| | EOM Elevation (MSL) 1462.20 | EOM Storage (AF) 46,966 | | | | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) (AF) 23,055 | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) (AF) 23,911 | | |
| | | | | | | | | | | | | | | | | |
| Jan | 1,462.31 | 47,310 | 4,864 | 4,286 | 0.07 | 232 | 196 | 82 | 114 | 100% | 23,055 | 2385 | 1923 | 118 | 92% | 24,255 |
| Feb | 1,463.75 | 52,136 | 5,566 | 478 | 0.49 | 260 | 99 | 56 | 43 | 100% | 23,055 | 2210 | 0 | 46 | 100% | 26,419 |
| Mar | 1,465.15 | 57,189 | 7,515 | 2,208 | 1.91 | 254 | 57 | 57 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Apr | 1,464.53 | 54,909 | 7,769 | 8,842 | 1.36 | 1,204 | 64 | 64 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| May | 1,468.15 | 69,880 | 20,972 | 4,780 | 3.87 | 1,222 | 69 | 69 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Jun | 1,467.62 | 67,493 | 13,159 | 13,099 | 4.12 | 2,450 | 79 | 79 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Jul | 1,467.39 | 66,456 | 11,728 | 10,273 | 4.62 | 2,491 | 83 | 83 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Aug | 1,466.56 | 62,913 | 6,746 | 7,420 | 2.51 | 2,866 | 83 | 83 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Sep | 1,467.66 | 67,673 | 17,502 | 10,169 | 1.59 | 2,571 | 69 | 69 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Oct | 1,465.75 | 59,625 | 2,101 | 8,057 | 0.06 | 2,093 | 66 | 66 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Nov | 1,465.28 | 57,716 | 3,372 | 4,352 | 1.15 | 928 | 55 | 61 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Dec | 1,463.48 | 51,176 | 2,830 | 8,946 | 0.00 | 426 | 68 | 68 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| TOTAL | | | 104,124 | 82,910 | 21.75 | 16997 | 988 | 837 | 157 | | | 4595 | 1923 | 164 | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality need

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2011

| Date | Conservation Pool 1982 Survey Results 1463.00 49,474 | | INFLOW Monthly Inflow (AF) | OUTFLOW Monthly Outflow (AF) | PRECIP Monthly Precip. (inches) | EVAP Reservoir Evap. (AF) | Water Marketing | | | | | Water Quality | | | | |
|--------------|--|----------------------------------|---|---|--|--|-------------------------|-------------|------------------------|--|-------------------------|---------------|------------------------|--|------|--------|
| | EOM Elevation (MSL) 1463.48 | EOM Storage (AF) 51,176 | | | | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) (AF) 23,055 | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) (AF) 26,419 | | |
| | | | | | | | | | | | | | | | | |
| Jan | 1,463.59 | 51,567 | 1,656 | 1,000 | 0.42 | 266 | 70 | 70 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Feb | 1,464.04 | 53,167 | 3,164 | 1,301 | 0.84 | 264 | 64 | 64 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Mar | 1,464.41 | 54,482 | 3,620 | 2,059 | 1.29 | 246 | 66 | 66 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Apr | 1,464.25 | 53,913 | 2,251 | 1,821 | 0.22 | 998 | 71 | 71 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| May | 1,468.03 | 69,340 | 25,111 | 8,343 | 5.19 | 1,339 | 72 | 72 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Jun | 1,465.98 | 60,559 | 7,597 | 14,355 | 0.97 | 2,025 | 77 | 77 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Jul | 1,464.47 | 54,696 | 774 | 3,959 | 1.04 | 2,682 | 21 | 91 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Aug | 1,464.42 | 54,518 | 6,030 | 3,787 | 3.64 | 2,416 | 73 | 84 | 0 | 100% | 23,055 | 0 | 0 | 0 | 100% | 26,419 |
| Sep | 1,462.68 | 48,468 | 555 | 4,518 | 1.00 | 2,083 | 59 | 78 | 341 | 99% | 22,831 | 64 | 456 | 390 | 97% | 25,637 |
| Oct | 1,462.07 | 46,559 | 982 | 1,517 | 1.19 | 1,373 | 105 | 81 | 647 | 96% | 22,245 | 120 | 717 | 726 | 92% | 24,314 |
| Nov | 1,462.08 | 46,590 | 1,696 | 893 | 2.63 | 774 | 453 | 68 | 370 | 97% | 22,293 | 519 | 132 | 404 | 92% | 24,297 |
| Dec | 1,462.46 | 47,779 | 2,222 | 643 | 0.43 | 389 | 741 | 63 | 186 | 99% | 22,812 | 850 | 0 | 203 | 95% | 24,967 |
| TOTAL | | | 55,657 | 44,194 | 18.86 | 14852 | 1871 | 885 | 1543 | | | 1553 | 1305 | 1723 | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality need

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2012

| Date | Conservation Pool 2007 Survey Results | | INFLOW | OUTFLOW | PRECIP | EVAP | Water Marketing | | | | | Water Quality | | | | | | | | |
|--------------|--|------------------------|---------------|---------------|--------------|--------------|---------------------------|----------------------------|--------------------------------|----------------------------|-------------------------|---------------|------------------------|--------------------|---------------------|-------------------------|-------------|------------------------|--------------------|---------------------|
| | 1463.00 | 48,378 | | | | | Monthly Inflow (AF) | Monthly Outflow (AF) | Monthly Precip. (inches) | Reservoir Evap. (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) |
| | EOM Elevation (MSL) | EOM Storage (AF) | | | | | | | | | | | | | | | | | | |
| Jan | 1,462.70 | 48,531 | 1,666 | 615 | 0.23 | 301 | 452 | 65 | 144 | 100% | 23,055 | 561 | 0 | 158 | 96% | 25,476 | | | | |
| Feb | 1,463.18 | 50,110 | 2,465 | 613 | 2.01 | 278 | 114 | 62 | 52 | 100% | 23,055 | 994 | 0 | 57 | 100% | 26,419 | | | | |
| Mar | 1,463.60 | 50,178 | 2,658 | 2,243 | 1.60 | 351 | 70 | 70 | 0 | 100% | 22,544 | 0 | 585 | 0 | 100% | 25,834 | | | | |
| Apr | 1,464.22 | 52,049 | 7,418 | 4,562 | 1.02 | 988 | 161 | 68 | 93 | 100% | 22,544 | 788 | 682 | 106 | 100% | 25,834 | | | | |
| May | 1,463.59 | 50,148 | 1,388 | 1,861 | 0.55 | 1,432 | 57 | 82 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Jun | 1,462.85 | 47,935 | 2,866 | 2,902 | 3.67 | 2,176 | 63 | 86 | 138 | 99% | 22,399 | 0 | 140 | 158 | 99% | 25,536 | | | | |
| Jul | 1,461.03 | 42,615 | 426 | 3,308 | 0.29 | 2,440 | 5 | 338 | 1140 | 94% | 21,084 | 5 | 2710 | 1300 | 83% | 21,531 | | | | |
| Aug | 1,459.43 | 38,133 | 1,022 | 3,160 | 3.08 | 2,346 | 329 | 333 | 1161 | 89% | 20,075 | 376 | 2664 | 1186 | 70% | 18,058 | | | | |
| Sep | 1,458.34 | 35,205 | 623 | 1,942 | 2.49 | 1,611 | 134 | 78 | 848 | 86% | 19,320 | 154 | 1564 | 763 | 61% | 15,885 | | | | |
| Oct | 1,457.52 | 33,088 | 260 | 1,291 | 0.96 | 1,087 | 41 | 76 | 597 | 83% | 18,725 | 48 | 1079 | 490 | 56% | 14,363 | | | | |
| Nov | 1,457.10 | 32,023 | 359 | 740 | 0.00 | 684 | 20 | 70 | 387 | 81% | 18,320 | 22 | 385 | 297 | 53% | 13,703 | | | | |
| Dec | 1,456.85 | 31,407 | 307 | 615 | 0.00 | 307 | 0 | 71 | 176 | 80% | 18,106 | 0 | 270 | 132 | 51% | 13,301 | | | | |
| TOTAL | | | 21,459 | 23,852 | 15.90 | 14002 | 1445 | 1399 | 4735 | | | 2948 | 10080 | 4646 | | | | | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality needs

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2013

| Date | Conservation Pool 2007 Survey Results 1463.00 48,378 | | INFLOW Monthly Inflow (AF) | OUTFLOW Monthly Outflow (AF) | PRECIP Monthly Precip. (inches) | EVAP Reservoir Evap. (AF) | Water Marketing | | | | | Water Quality | | | | |
|--------------|---|----------------------------------|---|---|--|--|-------------------------|-------------|------------------------|-------------|--------|-------------------------|-------------|------------------------|-------------|--------|
| | EOM Elevation (MSL) 1456.85 | EOM Storage (AF) 31,407 | | | | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage | |
| | | | | | | | | | | (%) | (AF) | | | | (%) | (AF) |
| | | | | | | | | | | | 18,106 | | | | | 13,301 |
| Jan | 1,456.90 | 31,528 | 912 | 615 | 0.91 | 177 | 208 | 71 | 102 | 81% | 18,174 | 238 | 111 | 75 | 52% | 13,354 |
| Feb | 1,457.24 | 32,378 | 1,626 | 555 | 3.16 | 222 | 500 | 65 | 128 | 82% | 18,511 | 573 | 0 | 94 | 54% | 13,867 |
| Mar | 1,457.45 | 32,910 | 1,329 | 615 | 1.60 | 182 | 336 | 68 | 104 | 83% | 18,704 | 384 | 0 | 78 | 55% | 14,206 |
| Apr | 1,457.68 | 33,493 | 2,132 | 867 | 1.75 | 682 | 593 | 67 | 388 | 84% | 18,870 | 679 | 0 | 295 | 57% | 14,623 |
| May | 1,459.23 | 37,584 | 5,841 | 954 | 5.12 | 797 | 2279 | 79 | 449 | 92% | 20,656 | 2611 | 0 | 348 | 66% | 16,928 |
| Jun | 1,459.91 | 39,451 | 4,572 | 1,337 | 5.13 | 1,369 | 1690 | 84 | 752 | 96% | 21,549 | 1936 | 346 | 616 | 69% | 17,902 |
| Jul | 1,463.71 | 50,508 | 14,916 | 2,218 | 10.85 | 1,646 | 1945 | 89 | 861 | 100% | 22,544 | 7370 | 0 | 716 | 100% | 25,834 |
| Aug | 1,466.80 | 60,061 | 23,524 | 11,554 | 5.75 | 2,418 | 96 | 96 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Sep | 1,465.26 | 55,237 | 3,461 | 5,710 | 3.24 | 2,577 | 74 | 74 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Oct | 1,464.46 | 52,782 | 1,964 | 2,672 | 1.74 | 1,745 | 75 | 75 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Nov | 1,463.94 | 51,198 | 1,279 | 1,424 | 0.50 | 1,420 | 26 | 72 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Dec | 1,463.77 | 50,688 | 744 | 869 | 0.82 | 387 | 31 | 74 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| TOTAL | | | 62,302 | 29,390 | 40.57 | 13623 | 7851 | 912 | 2785 | | | 13793 | 457 | 2222 | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality need

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2014

| Date | Conservation Pool 2007 Survey Results | | INFLOW | OUTFLOW | PRECIP | EVAP | Water Marketing | | | | | Water Quality | | | | | | | | |
|--------------|--|----------------------------------|---------------|---------------|--------------|--------------|---------------------------|----------------------------|--------------------------------|----------------------------|-------------------------|---------------|------------------------|--------------------|---------------------|-------------------------|-------------|------------------------|--------------------|---------------------|
| | 1463.00 | 48,378 | | | | | Monthly Inflow (AF) | Monthly Outflow (AF) | Monthly Precip. (inches) | Reservoir Evap. (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) |
| | EOM Elevation (MSL) 1463.77 | EOM Storage (AF) 50,688 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 22,544 | | | | | 25,834 | | | | |
| Jan | 1,463.71 | 50,508 | 871 | 772 | 0.43 | 278 | 50 | 74 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Feb | 1,463.83 | 50,868 | 1,313 | 710 | 1.00 | 240 | 65 | 65 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Mar | 1,463.65 | 50,328 | 518 | 813 | 0.03 | 246 | 2 | 74 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Apr | 1,463.35 | 49,428 | 1,260 | 1,031 | 0.77 | 1,123 | 47 | 74 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| May | 1,463.26 | 49,158 | 2,380 | 1,402 | 3.79 | 1,246 | 77 | 85 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Jun | 1,468.84 | 67,247 | 35,207 | 15,138 | 8.92 | 1,984 | 80 | 80 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Jul | 1,466.90 | 60,377 | 17,058 | 21,456 | 1.33 | 2,475 | 91 | 91 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Aug | 1,465.28 | 55,299 | 3,798 | 6,151 | 3.68 | 2,729 | 88 | 97 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Sep | 1,466.46 | 58,987 | 14,093 | 8,194 | 6.52 | 2,210 | 85 | 85 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Oct | 1,465.47 | 55,889 | 4,725 | 6,117 | 2.91 | 1,704 | 75 | 75 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Nov | 1,464.66 | 53,392 | 1,500 | 3,102 | 0.03 | 895 | 69 | 69 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Dec | 1,464.44 | 52,721 | 2,083 | 2,323 | 1.26 | 430 | 66 | 69 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| TOTAL | | | 84,805 | 67,209 | 30.67 | 15559 | 796 | 938 | 0 | | | 0 | 0 | 0 | | | | | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality need

K A N O P O L I S R E S E R V O I R A C C O U N T I N G

Calendar Year 2015

| Date | Conservation Pool 2007 Survey Results | | INFLOW | OUTFLOW | PRECIP | EVAP | Water Marketing | | | | | Water Quality | | | | | | | | |
|--------------|--|----------------------------------|---------------|---------------|--------------|--------------|---------------------------|----------------------------|--------------------------------|----------------------------|-------------------------|---------------|------------------------|--------------------|---------------------|-------------------------|-------------|------------------------|--------------------|---------------------|
| | 1463.00 | 48,378 | | | | | Monthly Inflow (AF) | Monthly Outflow (AF) | Monthly Precip. (inches) | Reservoir Evap. (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage (%) | EOM Storage (AF) |
| | EOM Elevation (MSL) 1464.44 | EOM Storage (AF) 52,721 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 22,544 | | | | | 25,834 | | | | |
| Jan | 1,464.27 | 52,202 | 1,577 | 1,793 | 0.16 | 307 | 75 | 75 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Feb | 1,464.16 | 51,866 | 1,488 | 1,549 | 0.77 | 278 | 56 | 56 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Mar | 1,463.99 | 51,348 | 1,121 | 1,390 | 0.17 | 246 | 24 | 59 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Apr | 1,463.96 | 51,258 | 1,974 | 1,029 | 3.60 | 1,031 | 59 | 61 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| May | 1,467.93 | 63,716 | 18,258 | 4,683 | 10.46 | 1,117 | 59 | 59 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Jun | 1,466.40 | 58,798 | 6,972 | 9,957 | 3.05 | 1,930 | 70 | 70 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Jul | 1,464.80 | 53,820 | 1,811 | 4,661 | 3.79 | 2,124 | 87 | 93 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Aug | 1,464.52 | 52,965 | 4,429 | 3,199 | 4.09 | 2,085 | 53 | 92 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Sep | 1,463.59 | 50,148 | 446 | 1,133 | 1.12 | 2,130 | 28 | 90 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 | | | | |
| Oct | 1,462.65 | 47,346 | 333 | 1,418 | 1.22 | 1,722 | 0 | 87 | 275 | 99% | 22,247 | 0 | 420 | 315 | 97% | 25,099 | | | | |
| Nov | 1,462.71 | 47,523 | 1,252 | 301 | 3.03 | 774 | 508 | 79 | 363 | 99% | 22,349 | 582 | 97 | 410 | 97% | 25,174 | | | | |
| Dec | 1,463.46 | 49,758 | 2,872 | 206 | 2.75 | 430 | 362 | 82 | 91 | 100% | 22,544 | 763 | 0 | 103 | 100% | 25,834 | | | | |
| TOTAL | | | 42,532 | 31,321 | 34.21 | 14174 | 1381 | 903 | 730 | | | 1345 | 517 | 828 | | | | | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality need

K A N O P O L I S L A K E - R E S E R V O I R A C C O U N T I N G

Calendar Year 2016

| Date | Conservation Pool 2007 Survey Results 1463.00 48,378 | | INFLOW Monthly Inflow (AF) | OUTFLOW Monthly Outflow (AF) | PRECIP Monthly Precip. (inches) | EVAP Reservoir Evap. (AF) | Water Marketing | | | | | Water Quality | | | | |
|--------------|--|----------------------------------|---|---|--|--|-------------------------|-------------|------------------------|-------------|--------|-------------------------|-------------|------------------------|-------------|--------|
| | EOM Elevation (MSL) 1463.46 | EOM Storage (AF) 49,758 | | | | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage | | Inflow Share (AF) | Use (AF) | Evap. Share (AF) | EOM Storage | |
| | | | | | | | | | | (%) | (AF) | | | | (%) | (AF) |
| | | | | | | | | | | | 22,544 | | | | | 25,834 |
| Jan | 1,463.62 | 50,238 | 1,289 | 504 | 0.81 | 307 | 73 | 73 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Feb | 1,463.66 | 50,358 | 1,051 | 641 | 0.66 | 288 | 61 | 61 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Mar | 1,463.53 | 49,968 | 403 | 547 | 0.34 | 246 | 3 | 74 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Apr | 1,466.41 | 58,829 | 11,471 | 1,529 | 6.47 | 1,077 | 69 | 69 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| May | 1,471.75 | 81,105 | 37,746 | 14,123 | 6.54 | 1,349 | 61 | 61 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Jun | 1,467.61 | 62,676 | 19,250 | 35,534 | 2.73 | 2,142 | 64 | 64 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Jul | 1,466.71 | 59,777 | 10,348 | 10,792 | 5.74 | 2,450 | 70 | 70 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Aug | 1,466.30 | 58,482 | 7,329 | 6,359 | 2.69 | 2,265 | 61 | 61 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Sep | 1,467.32 | 61,733 | 35,364 | 29,606 | 3.05 | 2,507 | 57 | 57 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Oct | 1,465.74 | 56,727 | 4,403 | 7,662 | 1.21 | 1,745 | 54 | 54 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Nov | 1,465.01 | 54,461 | 2,757 | 4,066 | 0.77 | 952 | 57 | 57 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| Dec | 1,464.32 | 52,355 | 2,640 | 4,376 | 0.73 | 369 | 54 | 54 | 0 | 100% | 22,544 | 0 | 0 | 0 | 100% | 25,834 |
| TOTAL | | | 134,051 | 115,739 | 31.74 | 15697 | 682 | 753 | 0 | | | 0 | 0 | 0 | | |

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Water Assurance - Storage dedicated to serving members of Cottonwood and Neosho River Basins Assurance District No. 3.
 Reserve Capacity - Storage that is owned by the State but has not yet been needed for either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage that is managed jointly by the U.S. Army Corps of Engineers and the Kansas Water Office and is used to serve downstream water quality need